

Test Report

No. CANEC2107771001

Date: 17 May 2021

Page 1 of 6

DONG GUAN TN SILICONE TECHNOLOGY CO.,LTD
 DONGAO INDUSTRIAL AREA TIANRAOBU VILLAGE HENGLI TOWN DONGGUAN CITY

The following sample(s) was/were submitted and identified on behalf of the clients as : Silicone Rubber

SGS Job No. : CP21-023495 - SZ
 Model No. : TN972
 Client Ref. Info. : Use for TN9XX、TN9XXX
 Date of Sample Received : 10 May 2021
 Testing Period : 10 May 2021 - 17 May 2021
 Test Requested : Selected test(s) as requested by client.
 Test Method : Please refer to next page(s).
 Test Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation –Extractable components	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments–Sensorial examination odour and taste test	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Lead and Cadmium	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Volatile organic matter (VOM)	PASS
Polycyclic aromatic hydrocarbons (PAHs) Content	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Report

No. CANEC2107771001

Date: 17 May 2021

Page 2 of 6

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Ivy Ren

Ivy Ren
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No. CANEC2107771001

Date: 17 May 2021

Page 3 of 6

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN21-077710.001	Transparent silicone sheet	Silicone

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation –Extractable components

Test Method : With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46 (2003) 362.

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001</u>	<u>Comment</u>
Distilled water	4.0hr(s)	100°C	0.5%(w/w)	<0.1%(w/w)	PASS
3% Acetic Acid (W/V) Aqueous Solution	4.0hr(s)	100°C	0.5%(w/w)	<0.1%(w/w)	PASS
10% Ethanol (V/V) Aqueous Solution	4.0hr(s)	100°C	0.5%(w/w)	<0.1%(w/w)	PASS

Notes :

%w/w = percentage of weight by weight

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments– Sensorial examination odour and taste test

Test Method : With reference to DIN10955:2004,direct contact method.
No.of panelist:6

<u>Test Item(s)</u>	<u>Limit</u>	<u>001</u>
Test media	-	Distilled water
Test Temperature (°C)	-	100
Test time (hr)	-	4
Sensorial examination odour (Point scale)	2.5	1.0
Sensorial examination taste (Point scale)	2.5	1.0
Comment		PASS

Notes :



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Intensity scale (rounded at 0.5):

- 0 – no perceptible difference
- 1 – just perceptible difference
- 2 – slight difference
- 3 – marked difference
- 4 – strong difference

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Lead and Cadmium

Test Method : Microwave digestion (GZTC CHEM-TOP-004-01) , analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	★	mg/kg	2	ND
Comment				PASS
Lead (Pb)	★	mg/kg	2	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)
4. ★= Absent

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Volatile organic matter (VOM)

Test Method : With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46 (2003) 362.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Test Temperature	-	°C	-	200
Test Time	-	hr(s)	-	4.0
Volatile organic matter (VOM)	0.5	%(w/w)	0.10	0.12
Comment				PASS

Notes :

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



1. %w/w = percentage of weight by weight
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)

Polycyclic aromatic hydrocarbons (PAHs) Content

Test Method : With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

<u>Test Item(s)</u>	<u>CAS NO.</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Sum of 18 PAHs	-	1.0	mg/kg	-	ND
Sum of 7 PAHs Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene, Fluoranthene	-	1.0	mg/kg	-	ND
Naphthalene(NAP)	91-20-3	1.0	mg/kg	0.1	ND
Acenaphthylene(ANY)	208-96-8	-	mg/kg	0.1	ND
Acenaphthene(ANA)	83-32-9	-	mg/kg	0.1	ND
Fluorene(FLU)	86-73-7	-	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	-	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	-	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	-	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	-	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	0.2	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	0.2	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	205-99-2	0.2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	0.2	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	207-08-9	0.2	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	0.2	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	0.2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	0.2	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	0.2	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	0.2	mg/kg	0.1	ND

Comment

PASS

Notes :


1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

